Modification Url Squid

Se connecter au serveur squid :

Une fois connecté modifier le fichier contenant les host server

```
sudo su
nano /etc/squid/White_liste/Update_Redhat_Centos
```

```
[root@                ~]# nano /etc/squid/host_list/GRP_Linux_Servers
```

Ajouter ensuite l'url comme ci-dessous dans le fichier

```
  GNU nano 2.9.8                                                    /etc/squid/White_liste/Update_Redhat_Centos

.opensuse.org
.istio.io
.github.io
.quay.io
.fedorainfracloud.org
.gcr.io
.googleapis.com
.rancher.com
.k8s.io
```

une fois le fichier quitter et enregistrer , exécuter la commande suivante :

```
squid -k reconfigure
```

```
[root@                ~]# squid -k reconfigure
```

Vous verrez la liste des IP apparaître comme suivant

```
2025/07/04 15:45:19| WARNING: because of this '10.        ' is ignored to keep splay tree searching predictable
2025/07/04 15:45:19| WARNING: You should probably remove '10.        ' from the ACL named '          Servers'
```

Tester si le serveur peut maintenant acceder à l'url.

Revision #1
Created 20 July 2025 14:47:00 by Cavallone
Updated 20 July 2025 14:48:09 by Cavallone